

SPECIFICATIONS - REPUBLIC OF IRELAND

Item	FORESTER		FORESTER		
	Symmetrical AWD (All-Wheel Drive)		Symmetrical AWD (All-Wheel Drive)		
	2.0i XE		2.0D X		
		Lineartronic		6MT	
ENGINE					
Type	Horizontally-opposed, 4-cylinder, 4-stroke, petrol engine		Horizontally-opposed, 4-cylinder, 4-stroke, turbocharged, diesel engine		
	DOHC 16-valve		DOHC 16-valve		
Bore/Stroke	mm	84.0x90.0	86.0x86.0		
Capacity	cc	1,995	1,998		
Compression ratio		10.5	15.2		
Fuel system		Multi-Point Sequential Injection (Port injection)	Common rail (Self Ignition)		
Fuel tank capacity	lit.	60	60		
PERFORMANCE					
Max. output (DIN)	PS (kW)/rpm	150 (110) /6,200	147 (108) /3,600		
Max. torque (DIN)	Nm (kgfm)/rpm	198 (20.2) /4,200	350 (35.7) /1,600-2,400		
Max. speed	kph	191	118		
Acceleration (0-100 kph)	sec.	11.8	9.9		
Fuel consumption*1	Urban mpg	(lit./100 km)	34.9 (8.1)	39.8 (7.1)	
	Extra-urban mpg	(lit./100 km)	51.4 (5.5)	57.6 (4.9)	
	Combined mpg	(lit./100 km)	43.5 (6.5)	49.6 (5.7)	
CO2 emissions*1	Urban	g/km	188	183	
	Extra-urban	g/km	129	128	
	Combined	g/km	150	148	
DRIVETRAIN					
AWD type	Active Torque Split AWD system		Centre differential gear coupled with viscous LSD		
DIMENSIONS & WEIGHT					
Overall length	mm	4,595	4,595		
Overall width	mm	1,795	1,795		
Overall height	mm	1,735	1,735		
Wheelbase	mm	2,640	2,640		
Track	Front	mm	1,545	1,545	
	Rear	mm	1,550	1,550	
Minimum road clearance (at kerb weight)	mm	220	220		
Cargo volume*2	lit.	1,592 / 1,573*3	1,592		
Seating capacity	persons	5	5		
Kerb weight	kg	1,502	1,552		
Towing capacity	kg	2,000	2,000		
TRANS-AXLE					
Gear ratio	D range		3.581-0.570	—	
	1st		3.581	3.454	
	2nd		2.262	1.888	
	3rd		1.658	1.062	
	4th		1.208	0.785	
	5th		0.885	0.634	
	6th		0.618	0.557	
	7th		—	—	
	8th		—	—	
	Reverse		3.667	3.636	
Final drive axle ratio		3.900	4.444		
CHASSIS					
Steering	Pinion-assist type electric power steering system		Pinion-assist type electric power steering system		
Suspension (4-wheel independent)	Front	MacPherson strut type	MacPherson strut type		
	Rear	Double wishbone type	Double wishbone type		
Minimum turning circle at tyre (radius)	m	5.3	5.3		
Brakes	Front	Ventilated disc brakes	Ventilated disc brakes		
	Rear	Solid disc brakes	Solid disc brakes		
Tyre/wheel size		225/60R17, 17x7"J	225/60R17, 17x7"J		

*MPG figures are EU test figures for comparative purposes and may not reflect real driving results.

*1 Fuel consumption and CO2 emissions: According to EC 715/2007-136/2014W.

*2 Measured by VDA (V214).

*3 Measurement with sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

FORESTER Symmetrical AWD (All-Wheel Drive) 2.0D X Lineartronic	FORESTER Symmetrical AWD (All-Wheel Drive) 2.0D XC 6MT	FORESTER Symmetrical AWD (All-Wheel Drive) 2.0D XC Lineartronic
Horizontally-opposed, 4-cylinder, 4-stroke, turbocharged, diesel engine	Horizontally-opposed, 4-cylinder, 4-stroke, turbocharged, diesel engine	Horizontally-opposed, 4-cylinder, 4-stroke, turbocharged, diesel engine
DOHC 16-valve	DOHC 16-valve	DOHC 16-valve
86.0x86.0	86.0x86.0	86.0x86.0
1,998	1,998	1,998
15.2	15.2	15.2
Common rail (Self ignition)	Common rail (Self ignition)	Common rail (Self ignition)
60	60	60
147 (108) /3,600	147 (108) /3,600	147 (108) /3,600
350 (35.7) /1,600-2,400	350 (35.7) /1,600-2,400	350 (35.7) /1,600-2,400
117	118	117
9.9	9.9	9.9
38.7 (7.3)	39.8 (7.1)	38.7 (7.3)
52.3 (5.4)	57.6 (4.9)	52.3 (5.4)
46.3 (6.1)	49.6 (5.7)	46.3 (6.1)
190	183	190
140	128	140
158	148	158
Active Torque Split AWD system	Centre differential gear coupled with viscous LSD	Active Torque Split AWD system
4,595	4,595	4,595
1,795	1,795	1,795
1,735	1,735	1,735
2,640	2,640	2,640
1,545	1,545	1,545
1,550	1,550	1,550
220	220	220
1,592	1,592 /1,573*3	1,592 /1,573*3
5	5	5
1,615	1,552	1,615
2,000	2,000	2,000
3.505-0.544	—	3.505-0.544
3.505	3.454	3.505
2.285	1.888	2.285
1.567	1.062	1.567
1.179	0.785	1.179
0.910	0.634	0.910
0.723	0.557	0.723
0.582	—	0.582
—	—	—
2,345	3.636	2,345
4,111	4.444	4,111
Pinion-assist type electric power steering system	Pinion-assist type electric power steering system	Pinion-assist type electric power steering system
MacPherson strut type	MacPherson strut type	MacPherson strut type
Double wishbone type	Double wishbone type	Double wishbone type
5.3	5.3	5.3
Ventilated disc brakes	Ventilated disc brakes	Ventilated disc brakes
Ventilated disc brakes	Solid disc brakes	Ventilated disc brakes
225/60R17, 17x7"J	225/60R17, 17x7"J	225/60R17, 17x7"J

SUBARU FORESTER
STANDARD FEATURES - REPUBLIC OF IRELAND

Item	Symmetrical AWD (All-Wheel Drive)				
	2.0i XE	2.0D X	2.0D X	2.0D XC	2.0D XC
	Lineartronic	6MT	Lineartronic	6MT	Lineartronic
Exterior					
Auto on/off headlamps	•	—	—	•	•
HID headlamps with auto levelizer	•	—	—	•	•
Pop-up type headlamp washers	•	•	•	•	•
Front fog lamps	•	•	•	•	•
Rear fog lamp	•	•	•	•	•
Power-folding door mirrors	•	—	—	•	•
UV protection glass: Windshield and front side windows	•	•	•	•	•
Designed blade, variable intermittent windshield wipers	•	•	•	•	•
Intermittent rear window wiper	•	•	•	•	•
Sports grill	—	•	•	•	•
17-inch aluminium alloy wheels	•	•	•	•	•
Power sliding, large glass sunroof	•	—	—	•	•
Roofrails*8	•	•	•	•	•
Roof spoiler	•	•	•	•	•
Roof antenna	—	•	•	—	—
Seating / Trims					
Leather wrapped steering wheel and gearshift knob	•	—	—	•	•
Front seat heaters	•	•	•	•	•
Manual seat lifter (driver's seat only)	—	•	•	—	—
8-way power adjustable driver's seat	•	—	—	•	•
60/40 split folding rear seats	•	•	•	•	•
One-touch folding and reclining rear seats	•	—	—	•	•
Seat back pocket	•	•	•	•	•
Comfort / Convenience					
Power windows*1	•	•	•	•	•
Remote Control Key System	•	•	•	•	•
One-touch lane changer	•	•	•	•	•
Map lamps	•	•	•	•	•
Luggage space lamp	•	•	•	•	•
Vanity mirrors with lids (for driver and front passenger)	•	•	•	•	•
Over head console box	•	•	•	•	•
Centre tray	•	•	•	•	•
Centre console box	•	•	•	•	•
2 front cup holders (in the centre console)	•	•	•	•	•
2 rear cup holders (in rear seat centre armrest)	•	—	—	•	•
Door pockets with bottle holders (on all side doors)	•	•	•	•	•
Interior fuel lid lock release	•	•	•	•	•
Three 12-volt power outlets (in the instrument panel, centre console box and luggage space)	•	•	•	•	•
4 cargo hooks	•	•	•	•	•
Luggage hooks	•	•	•	•	•
Retractable cargo cover	•	•	•	•	•
Climate control					
Automatic air-conditioning system with anti-dust filter	—	•	•	—	—
Dual-zone automatic air-conditioning system with anti-dust filter	•	—	—	•	•
Heater ducts for rear passengers	•	•	•	•	•
Windshield wiper de-icer	•	•	•	•	•
Automatic rain-sensing windshield wipers	•	—	—	•	•
Heated door mirrors	•	•	•	•	•
Front and side defrosters	•	•	•	•	•
Electric rear window defogger with timer	•	•	•	•	•

All models marketed by Subaru Ireland come with the reassurance of a five year or 160,000 kilometres warranty, plus twelve year anti-rust cover and three year paintwork warranty. This is in addition to three year's membership of Subaru Assist - a comprehensive home & repair and recovery package administered by Mapre Assistenza.

Item	Symmetrical AWD (All-Wheel Drive)				
	2.0i XE	2.0D X	2.0D X	2.0D XC	2.0D XC
	Lineartronic	6MT	Lineartronic	6MT	Lineartronic
Entertainment					
SUBARU STARLINK infotainment system with 6.2-inch colour display audio system : 1CD and 6 speakers	—	•	•	—	—
SUBARU STARLINK infotainment system with Premium audio system*2 : 1CD and 6 speakers	•	—	—	•	•
Voice recognition system (Command speech and One shot)	•	•	•	•	•
Steering wheel mounted audio remote control switches	•	•	•	•	•
Bluetooth®*3-compatible hands-free system	•	•	•	•	•
Single USB and auxiliary audio input jack	—	•	•	—	—
Dual USB ports and auxiliary audio input jack	•	—	—	•	•
Rear Vision Camera System	•	—	—	•	•
Control / Instruments					
High-grade type Multi Function Display*4	•	—	—	•	•
Multi-Function Display*5	—	•	•	—	—
Tilt-adjustable/telescopic steering wheel	•	•	•	•	•
Paddle shift	•	—	•	—	•
Cruise control	•	•	•	•	•
Drivability					
SI-Drive (SUBARU Intelligent Drive) *6	•	—	—	—	—
Auto start-stop system with OFF switch	•	—	—	—	—
X-MODE	•	—	—	—	•
Hill Descent Control	•	—	—	—	•
Hill Start Assist	•	•	•	•	•
Vehicle Dynamics Control System (VDC) with OFF switch	•	•	•	•	•
Towing VDC	•	•	•	•	•
Self-levelizer (load-compensating rear struts)	•	•	•	•	•
Safety					
Daytime running lights	•	•	•	•	•
Front SRS*7 airbags	•	•	•	•	•
Front side SRS*7 airbags (for driver and front passenger)	•	•	•	•	•
Curtain SRS*7 airbags (front and rear, both sides)	•	•	•	•	•
Knee SRS*7 airbag	•	•	•	•	•
Side-door reinforcement beams (front and rear, both sides)	•	•	•	•	•
Steering column support beam	•	•	•	•	•
Whiplash reducing front seats	•	•	•	•	•
Rear seat headrests for 3 seating positions	•	•	•	•	•
Seatbelt indicator (for driver and all passengers)	•	•	•	•	•
Front seatbelts with pretensioners and load limiters	•	•	•	•	•
Height adjustable seatbelt anchors (for driver and front passenger)	•	•	•	•	•
Rear 3-point seatbelts for 3 seating positions	•	•	•	•	•
Safety pedal system	•	•	•	•	•
4-sensor/4-channel ABS with Electronic Brake-force Distribution	•	•	•	•	•
Brake assist system	•	•	•	•	•
Brake Override	•	•	•	•	•
ISO-FIX adapted child seat anchors (with tether anchors)	•	•	•	•	•
Child-proof rear door locking (both sides)	•	•	•	•	•
Thatcham Category 1 security system with engine immobiliser	•	•	•	•	•

*1 Driver's side front window has auto up/down function with pinch protection.

*2 Equipped with 7-inch VGA centre display.

*3 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

*4 4.3-inch LCD screen displays. It shows: Fuel Economy screen, Eco-evaluation screen, Active safety, Clock/Outside temperature and Self check etc.

*5 It shows: current fuel consumption, average fuel consumption, continuous travel distance & time, average vehicle speed and ambient temperature and clock.

*6 2-MODE SI-Drive (Intelligent mode, Sport mode).

*7 SRS: Supplemental Restraint System. Must be used in conjunction with seatbelts.

*8 Forester 2.0D X features Black roofrails. All other models have Silver painted roofrails.

Standard and optional features, model lineup may vary according to market.